Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1739	717/106-112.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 09:22
S2	1199	S1 and (dynamic\$4 or runtime or run-time or (run adj time) or on-fly or (on adj fly))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 09:22
S3	959	S2 and ((creat\$3 or generat\$3 or instantiat\$3 or obtain\$3 or produc\$3) with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 09:22
S4	523	S3 and ((creat\$3 or generat\$3 or instantiat\$3 or produc\$3) with class\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 09:22
S5	511	S4 and object\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2006/12/13 09:22
S6	76	S5 and ((creat\$3 or generat\$3 or instantiat\$3 or produc\$3) with (bytecode or (byte adj code) or byte-code) or "intermediate representation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 13:29
S7		S6 and (determin\$3 with number with method\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:04
S8	332	"10" and "proxy class"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:05

S9	1739	717/106-112.ccls.	US-PGPUB;	OR	ON	2006/12/13 10:05
		7 27, 200 222,000	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			2000, 12, 13 10.03
S10	1199	S1 and (dynamic\$4 or runtime or run-time or (run adj time) or on-fly or (on adj fly))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:05
S11	959	S2 and ((creat\$3 or generat\$3 or instantiat\$3 or obtain\$3 or produc\$3) with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:05
S12	523	S3 and ((creat\$3 or generat\$3 or instantiat\$3 or produc\$3) with class\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:05
S13	511	S4 and object\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:05
S14	76	S5 and ((creat\$3 or generat\$3 or instantiat\$3 or produc\$3) with (bytecode or (byte adj code) or byte-code) or "intermediate representation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:05
S15	6	S6 and "proxy class"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:05
S16	5	S6 and ((implement\$3 or run\$4 or execut\$3) with "proxy class")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:05

S17	51	S6 and ((determin\$3 or check\$3 or verif\$4) with method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	·ON	2006/12/13 10:05
S18	50	S6 and ((determin\$3 or check\$3) with method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:08
S19	22	S6 and (stand-alone or (stand adj alone))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/12/13 10:15
S20	2	"6578191".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:21
S21	7	"6578191"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:29
S22	3	S21 and loader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:31
S23	2	S22 and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:31
S24	1888	717/106-112.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:50

S25	1310	S24 and (dynamic\$4 or runtime or run-time or (run adj time) or on-fly or (on adj fly))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:50
S26	1044	S25 and ((creat\$3 or generat\$3 or instantiat\$3 or obtain\$3 or produc\$3) with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:50
.S27	563	S26 and ((creat\$3 or generat\$3 or instantiat\$3 or produc\$3) with class\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:50
S28	548	S27 and object\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:50
S29	82	S28 and ((creat\$3 or generat\$3 or instantiat\$3 or produc\$3) with (bytecode or (byte adj code) or byte-code) or "intermediate representation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:47
S30	563	S26 and ((creat\$3 or generat\$3 or instantiat\$3 or produc\$3) with class\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:51
S31	82	S28 and ((creat\$3 or generat\$3 or instantiat\$3 or produc\$3) with (bytecode or (byte adj code) or byte-code) or "intermediate representation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:51
S32	1044	S25 and ((creat\$3 or generat\$3 or instantiat\$3 or obtain\$3 or produc\$3) with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON .	2007/05/20 15:51

S33	. 4	S29 and (determin\$3 with number with method\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:51
S34	370	"10" and "proxy class"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:51
S35	1888	717/106-112.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:51
S36	1310	S24 and (dynamic\$4 or runtime or run-time or (run adj time) or on-fly or (on adj fly))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:51
S37	548	S27 and object\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/05/20 15:51
S38	6	S29 and "proxy class"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:51
S39		S29 and ((implement\$3 or run\$4 or execut\$3) with "proxy class")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/05/20 16:48
S40	54	S29 and ((determin\$3 or check\$3 or verif\$4) with method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/05/20 15:51

S41	53	S29 and ((determin\$3 or check\$3) with method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/05/20 15:51
S42	23	S29 and (stand-alone or (stand adj alone))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 16:44
S43	0	S21 and ((live or life or exist\$3) with (system or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 16:46
S44	2697	(dynamic\$4 adj (instantiat\$3 or creat\$3 or generat\$3)) with (class or object or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 10:29
S45	308	S44 and ((exist or live or life) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR _	ON	2007/05/20 16:48
S46	0	S44 and ((generated adj (code or class or object)) with (exist or live or life) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 16:50
S47	78	S44 and ((code or class or object) with (exist or live or life) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 17:10
S75	2697	(dynamic\$4 adj (instantiat\$3 or creat\$3 or generat\$3)) with (class or object or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 15:50

S76	78	S75 and ((code or class or object) with (exist or live or life) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OŅ	2007/05/21 15:37
S77	24	S76 and stub	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 15:41
S78	200	S75 and stub	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 15:57
S79	176	S78 not S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/05/21 15:50
S80	18493	(dynamic\$4`or runtime or run-time or on-the-fly or (on adj the adj fly) or (run adj time) or hot) with (creat\$3 or generat\$3) with (class or object or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:35
S81	123	S80 and (RMI and EJB and JDBC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 16:05
S82	15082	(dynamic\$4 or runtime or run-time or on-the-fly or (on adj the adj fly) or (run adj time)) with (creat\$3 or generat\$3) with (class or object or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:21
S83	123	S81 and (RMI and EJB and JDBC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 16:26

	Г		·			
S84	88	S81 and stub	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 16:13
S91	. 36	((dynamic\$4 or runtime or run-time or on-the-fly or (on adj the adj fly) or (run adj time)) with (creat\$3 or generat\$3) with (class or object or code)) and ((RMI or invocation) adj (skeleton or stub))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:23
592	169	((dynamic\$4 or runtime or run-time or on-the-fly or (on adj the adj fly) or (run adj time)) with (creat\$3 or generat\$3) with (class or object or code)) and ((RMI or invocation) with (skeleton or stub))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:28
S93	86	S92 and (bean or EJB or JDBC or wrapper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:38
594	1193	((dynamic\$4 or runtime or run-time or on-the-fly or (on adj the adj fly) or (run adj time) or hot) with (creat\$3 or generat\$3) with (class or object or code)) and (state with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:37
S95	65	S93 and prox\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:40
S96	11	S93 and (prox\$3 with (invok\$3 or call\$3 or invocat\$3 or employ\$3) with (EJB or bean))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/05/21 17:41
S97	11896	(dynamic\$5 or runtime or run-time or "run time" or hot or on-the-fly or "on the fly") near5 (creat\$3 or generat\$3 or compos\$3) near5 (code or program or class or application or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 14:18

			_			
S98	3183	S97 and ((creat\$3 or generat\$3 or compos\$3) near5 (class or container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 15:04
S99	297	S98 and ((add\$3 or input\$3 or insert\$3) near5 method\$1 near5 (class or container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 15:05
S10 0		S99 and (instantiat\$3 near5 instance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 16:22
S10 1	. 2	"7146399"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 17:02
S10 2	26	S100 and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2007/09/11 17:23
S10 3		S102 and (bytecode or byte-code or "byte code")	US-PGPUB; USPAT; USOCR; 'EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 17:24
S10 4	208	(william near1 gallagher).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 17:26
S10 5	7	S104 and S97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 17:27

						•
S10 6	1277	(jave or bytecode) and (views or window or pane or container or tree or diagram or model) and class and ("source code" or source-code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:50
S10 7	966	S106 and ((generat\$3 or creat\$3 or compos\$3) near5 (class or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:51
S10 8	753	S106 and ((generat\$3 or creat\$3) near5 class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:51
S10 9	363	S108 and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:51
S11 0	313	(jave or bytecode) and (views or window or pane or container or tree or diagram or model) and (class same method same ("source code" or source-code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:51
S11 1	292	S110 and ((generat\$3 or creat\$3 or compos\$3) near5 (class or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:51
S11 2	268	S110 and ((generat\$3 or creat\$3) near5 class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/09/12 11:51
S11 3	165	S112 and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:08

S11 4	19	S106 and ((tree or view or pane) near5 statement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:42
----------	----	---	---	----	----	------------------